

1 Claim amendments

2
3 Please amend the claims as follows. Claims 3, 4, 9, 11, 12, 14, 15, 18, 19, 21
4 and 22 are hereby cancelled, without prejudice.

5
6 Claim 1 (original). A toner cartridge, comprising:

7 a housing which defines a toner reservoir; and

8 a rotatable endless belt disposed within the toner reservoir.

9
10 Claim 2 (original). The toner cartridge of claim 1, and wherein the toner reservoir is
11 defined by a reservoir primary surface within the housing, and further wherein the
12 rotatable endless belt is positioned proximate the reservoir primary surface.

13
14 Claims 3-9 (cancelled).

15
16 Claim 10 (original). The toner cartridge of claim 2, and wherein the rotatable endless
17 belt is defined by an outer belt surface which is proximate the reservoir primary
18 surface, the rotatable endless belt further comprising a plurality of scraping members
19 which protrude from the outer belt surface.

20
21 Claims 11-12 (cancelled).

22
23 Claim 13 (original). The toner cartridge of claim 2, and further comprising a plurality of
24 rollers which support the rotatable endless belt in proximity to the reservoir primary
25 surface.

1 Claims 14-16 (cancelled).

3 Claim 17 (original). An imaging apparatus, comprising:

4 a toner reservoir housing which defines a toner reservoir; and
5 a rotatable endless belt disposed within the toner reservoir.

7 Claims 18-23 (cancelled).

9 Claim 24 (original). A toner cartridge comprising:

10 means for housing a supply of toner, said means for housing the supply of
11 toner defining a non-cylindrical mixing region defined by a periphery; and
12 means for engaging at least a portion of the toner at the periphery of the non-
13 cylindrical mixing region for agitating the toner.

15 Claim 25 (original). A method of agitating toner, comprising:

16 placing toner in a reservoir; and
17 engaging at least a portion of the toner in the reservoir with an endless belt to
18 thereby agitate the toner within the reservoir.

20 Claim 26 (new). The apparatus of claim 13, and wherein the plurality of rollers
21 comprise at least three rollers.

23 Claim 27 (new). The apparatus of claim 13, and wherein the plurality of rollers
24 comprise at least four rollers spaced in rectangular arrangement with respect to one
25 another.

1 Claim 28 (new). The method of claim 25, and wherein the endless belt is defined by
2 an inner belt surface and an outer belt surface, and openings disposed in the
3 endless belt between the inner belt surface and the outer belt surface, the method
4 further comprising:

5 placing the toner proximate at least a portion of the inner belt surface;

6 rotating the endless belt; and

7 allowing at least a portion of the toner to pass from the inner belt surface to
8 the outer belt surface via the openings.

9
10
11 (End of Amendment "A".)
12

13 (Continued on next page.)
14
15
16
17
18
19
20
21
22
23
24
25